ENEE 140 Lab 5 $\,$

Lab instructions

This handout includes instructions for the recitation sessions on Wednesday and Friday. Follow these instructions to review the usage of the scanf function, then submit the homework as indicated below. To prepare for the next lecture, complete the reading assignment and try to solve the weekly challenge.

1 scanf review

What happens if the number of variables passed to the **scanf** function, and/or the variable types, do not match those specified in the format string? Write a simple program to verify your answer.

Spring 2025

ENEE 140

Homework

Due: Friday at 11:59 pm.

Write two C programs and one text file by following the instructions below.

Create a .zip archive containing your programs, then log into Elms, click on Gradescope in the course menu, then go to the relevant assignment to submit your program.

1 Character classes

Write a complete C program called **char_class.c** that reads in one character from the keyboard and detects whether it is (i) a lower case letter, (ii) an upper case letter, (iii) a digit (0–9), or (iv) some other character. You will need multiple if statements for this. For example, here is the output on some inputs:

```
Please enter one character: D
D is an upper case letter.
Please enter one character: 8
8 is a digit.
Please enter one character: %
% is not a letter or digit.
Please enter one character: j
j is a lower case letter.
```

Hint. Remember that in ASCII code, 0–9 have consecutive codes (or numerical values); a–z also have consecutive codes, and so do A–Z.

2 Sum of squares

Write a C program called **sum_of_squares.c** that asks user to enter a positive integer n, and prints out the result of $1^2 + 2^2 + ... + n^2$. For example, for the input n = 3, the output should be 1 + 4 + 9 = 14. You may assume that the result will not overflow.

3 Computer Arithmetic

Assume that you have five variables, **a**, **b**, **c**, **d** and **e**, defined as follows:

```
int a = 1;
int b = 3;
float c = 1;
float d = 2;
int e = 4;
```

What are the values of variables r1..r8 defined below:

```
float r1 = c / d;
float r2 = a / (int)d;
int r3 = a % b;
unsigned r4 = UINT_MAX % 2;
```

C i coor		
Spring 2025	ENEE 140	Dr. Tudor Dumitraș
int	$r5 = UINT_MAX - 1;$	
int	r6 = e++;	
int	r7 = (a+0.2) / b;	
int	r8 = 2.0*a / (c-d);	

ECE Department, University of Maryland, College Park

Write the answers in a text file, called **computer_arithmetic.txt**. For each answer, explain why you got that value.

You may write a program to check the answers, but in your submission make sure you explain clearly what goes on in each arithmetic operation.

Spring 2025

ENEE 140

Dr. Tudor Dumitraș

Reading assignment

K&R Chapters 2.2, 2.9, 3.3, 6.1, B5, B6

Weekly challenge

Write a program that prompts the user for a positive number, reads this number into an **unsigned** variable, then prints the binary representation of this number. On the GRACE computers, unsigned integers are represented using 32 bits $(b_0, b_1, \dots, b_{31})$. Each bit can be either 0 or 1, and the value of the unsigned integer is computed using the following formula:

$$U = \sum_{i=0}^{31} = b_i \cdot 2^i$$

For example, the number 5 has $b_0 = 1$, $b_1 = 0$, $b_2 = 1$, and the rest of the bits are 0:

$$1 \cdot 2^0 + 0 \cdot 2^1 + 1 \cdot 2^2 = 1 + 4 = 5$$

You program should prompt the user for a positive number, then it should print the values of each bit in the binary representation, starting with b_0 . For example, the output of the program could look like this:

Enter a positive integer: 5 Binary representation of 5: Bit 0:1 Bit 1: 0 Bit 2: 1 Bit 3: 0 Bit 4: 0 5:0 Bit Bit 6: 0 7:0 Bit Bit 8: 0 Bit 9:0 Bit 10: 0 Bit 11: 0 Bit 12: 0 Bit 13: 0 Bit 14: 0 Bit 15: 0 Bit 16: 0 Bit 17: 0 Bit 18: 0 Bit 19: 0 Bit 20: 0 Bit 21: 0 Bit 22: 0 Bit 23: 0

Dr. Tudor Dumitraș

Bit 24: 0 Bit 25: 0 Bit 26: 0 Bit 27: 0 Bit 28: 0 Bit 29: 0 Bit 30: 0 Bit 31: 0

You can use the following template (also available in the GRACE class public directory, under public/challenges/week05):

```
/*
 * dec2bin.c
 *
 * Prompt the user for a positive number, then print the binary
 * representation of that number starting from the least-significant bit.
 */
#include <stdio.h>
```

```
int
main()
{
    return 0;
}
```

The weekly challenge will not be graded. However, if you manage to solve it, you may submit it for extra credit. The deadline for submitting your solution to the weekly challenge is **Monday at 11:59 am**.

Submit it by going to the relevant assignment in Gradescope.